



MSC SHANGHAI 危险品流程


Jun 2018



基本流程



基本流程





文件和材料要求

文件和材料要求



阶段	截止时间	所需文件	要求	格式	规定邮件主题, 发送至: CN177-mcshadgapplication@msc.com
订舱申请阶段	(标准船期) 船 靠前三个工作日	EDI订舱	必须同危险品申请表相关信息一致	MH	/
		危险品申请表 注意: Proper Shipping Name指“正确运输品名”(俗称大类名); Technical / Chemical name (shown on B/L) 指最终显示在提单上的技术/化学品名(俗称小类名),请在申请时分别填写清楚。	机打非手写, 英文填写, 发货人和订舱代理盖章, 正本扫描件。	联东网站下载	MSC DG APPLICATION – Service – Vesse / Voyage - Booking No (例如: MSC DG APPLICATION – TIGER – MSC IRENE FT819W – 177VXXDGSXXXXX)
		与订舱匹配且在有效期内的危包证: a.出境危险货物运输包装使用鉴定结果单 b.或出口气瓶安全性能监督检验证书及报告书(针对气体类包装) c.或中国船级社检验证书(针对中型散装容器IBC) d.或TANK箱箱证(针对Tank箱)	正本扫描件		
		分箱数据(若一票含多个货柜且装箱数据不均分) 其他特殊要求保函,如:目的港直提保函、目的港Letter of Engagement (LOE) 证书等。	EXCEL表格 正本扫描件		
订舱修改阶段	(标准船期) 船 靠前三个工作日	更改后内容所相对应的危险品申请文件 注意: 危险品申请得到确认后, 所有信息都不允许更改; 一旦更改, 将视为新的危险品重新开始申请, 由此引 起的一切后果由客人自行承担。	正本扫描件。 同时邮件正文注明所需更改的信息。 (例如: 原包装类别: 3H1, 现包装类别: 3H2)		
提供上船资料 阶段	按MSC上海危险 品中心要求	危险品箱封号申报格式	EXCEL表格	联东网站下载	DGD FORM - Vessel / Voyage – Booking No (例如: DGD FROM - MSC Bilbao S711R – FMSCTEDGS00001)
		对应箱号的分箱数据(若一票含多个货柜且装箱数据不均分)	EXCEL表格		
		危险品运输表格(DGD FORM)	提单发货人和装箱单位签名盖章的正本扫描件	联东网站下载	
		集装箱装运危险货物装箱证明书	由装箱现场检验员签字、备案编号及装箱单位盖章的正本扫描件		
		针对在新加坡中转且CLASS为5.1或5.2的货物: 需要提供商业发票和装箱单	正本扫描件		
		针对目的港为巴西港口的货物: 需提供葡萄牙语版本的MSDS	正本扫描件		
		针对UN2211的货物: 需要提供(危险品) UN2211密封性保函	发货人盖章的正本扫描件	联东网站下载	
		针对UN1397, UN1336, UN2555: 需要提供(危险品)密封性保函	发货人盖章的正本扫描件	联东网站下载	
针对UN2216的货物: 需要提供(危险品) UN2216鱼粉(鱼渣)证书	提单发货人填写和盖章的正本扫描件	联东网站下载			
针对特殊规定932的货物: 需要提供(危险品)耐风蚀证书	提单发货人填写和盖章的正本扫描件	联东网站下载			
按照联东要求	货申报	针对UN3166, UN3171的车辆设备: 需要提供车辆保函	发货人盖章的正本扫描件	联东网站下载	
		正本递交至联东船代			/



常见问题与解答

Q: 哪些危险品MSC 可以承接?

A: 同一种危险品在不同的目的港会有不同的限制, 客人可以在订舱前询问我司。

Q: 曾经批准出运过的危险品, 再次出运还要申请确认吗?

A: 需要重新申请。MSC 的危险品订舱确认全部为通过设立在Antwerp 的全球危险品中心经系统逐票回复确认, 单航次有效。

Q: 如何可以获知危险品是否批准申请?

A: MSC 全球危险品中心将通过系统确认危险品订舱, 各订舱代理可以直接通过每天由MSC 订舱系统自动发送的ASTA 报告查询危险品是否确认。

Q: 危险品申请批准后还能更改吗?

A: 不能。一旦申请并得到确认后即不允许更改, **包括: 件数, 毛重, 体积, 品名, 箱型箱量, 包装类别/型号, 闪点, 海洋污染, 装箱仓库信息, 目的港, 温度 (若为冷冻箱), 提单收发货人, 通知人, 危险品真实收货人, 紧急联系人及电话, 混拼箱货物装箱分配。**若擅自更改, 由此引起的一切后果包括箱子不能上船, 由订舱代理承担。若需更改, 则请作为新的危险品重新定舱。

Q: 危险品装箱仓库信息提供要求是什么?

A: 必须是实际危险品装箱的仓库。订舱时, 此仓库信息需通过EDI 提供; 提供上船资料时, 此仓库信息需填写在DGD 中的20 项并加盖仓库章, 集装箱装运危险货物装箱证明书上也需加盖仓库章。此三处的装箱仓库信息必须保持一致。

Q: DGD 中的第6 项consignee 填写要求是什么?

A: 此consignee 需与EDI 中的DG cargo consignee 一致。

Q: 三个比较特殊的包装在MH 里如何的选择?

A: 6HA1→Plastics receptacle with outer steel drum – 6HA1

31HA1→Steel IBC with rigid plastics receptacle – 31HA1

5H4→Plastics film bags – 5H4

Q: 如何填写危险品的副危标(Subsidiary Risk Label)?

A: 当一种危险化学品具有一种以上的危险性时,应用主危标Class no.表示主要危险性类别,并用副危标Subsidiary Risk Label 表示重要的其他危险性类别。例如, 一种化学品有毒, 同时具有一定的易燃性, 如UNNO2611 丙氯醇, 其Class no. 为6.1 类, 副危标Subsidiary Risk Label 为3类。若有此种具有副危标的危险货物, 请在申请表及订舱EDI 中填写/选取清楚。

Q: 一票危险品订舱，同一品名但是具有不同的包装类别，申请材料如何提供？

A: 一种包装类别提供一套申请资料，包括一张申请表格+相应的危包证。不同包装类别所提供的几套申请材料的数据加总应为此票危险品的数据综合（包括件数/净重/毛重）。

Q: 一票危险品订舱，包含不同品名，申请材料如何提供？

A: 一种品名提供一套申请资料，包括一张申请表格+相应的危包证。不同品名所提供的几套申请材料的数据加总应为此票危险品的数据综合（包括件数/净重/毛重）。

Q: 二票（或以上）危险品订舱拼一个箱子，之后并单出一份提单或出多份提单；或者一票订舱但要求出多份提单，MSC 可否承接？

A: 可以承接此类订舱，但请务必在订舱时联系我司危险品部门做相关特别订舱处理。

Q: 若一票中有多个箱子且装箱数据不均分的，如何列明？

A:
订舱时，请另附表格列明分箱数据，以便我司申请；
提供上船资料时，请另附表格列明对应箱号之分箱数据。

Q: 危险品是否可以做COV?

A: 可以，但是无论是由于客户自身原因做COV，亦或是由于船公司原因，客户都必须提供有新船名的危险品申请表格以供我司查询留底。新申请表格请发送至我司危险品组邮箱并在邮件主题里注明COV字样。

Q: 如何知道危险品COV是否成功?

A: 危险品COV需要重新申请，所以客户可留意MSC 订舱系统自动发送的ASTA 报告，如发现订舱状态由Confirm 变为Pending，说明COV未成功，直至订舱状态重新变成Confirm。



MH EDI订舱输入要求及指引

危险品装箱仓库联系信息



177QTESTS00001 - MSC Magic Hand 8.00_For MSC

Home | New | Save | Lock | Booking/BL | Info Center | Log | EDI | Default | Codes | Setting | Help | About

Individuation

Favorite: 177QTESTS00001

Office: MSC Shanghai, China

Agency: SH XSFB

Vessel: [Empty]

Voyage: [Empty]

Quick Open

BookingNumber	Access Date
177QTESTS00001	Aug 12, 2014 10:59.

Shipment

! Office: MSC Shanghai, China

! Agency: MSC SH

! Service: Jaguar

! Booking: 177QTESTS00001

Mst Booking: 177QTESTS00001

! Status: Comfirmed

Part Load Type: [Empty]

Part Load Bkg: [Empty]

POR: [Empty]

POR SUBLOC: [Empty]

POR TM: SHANGHAI

Vessel: MSC RANIA

! Voyage: FJ433A

! POD: LONG BEACH

Port Clause: [Empty]

Final Dest: Detroit, MI

ZIP Code: 48201

FNL SubLoc: Ramp

FNL TM: Rail

Terms: CY to CY

SCT: Service Contract Number

SCT Number: 14-250TPC-225/MOV-N...

Payment Type: Prepaid

Pay at: [Empty]

BLREF Number: [Empty]

SI Information: [Empty]

InTrans Coun: [Empty]

Comment: [Empty]

CheckLocalDC:

Creation: Aug 12,2014 10:59:27

Quant...	Weight	Volume	! S...	! ...	REF Number	Other Info	Comment	DG Stuffin...
10	8,420.000	12.600						DING ...

! Name: DING MING WAREHOUSE ...

Address: NO.1088 TONGFA ROAD LAOG...

City: Shanghai

ZIP Code: 200000

Contact: CADIAJIA

Phone: 68296892*6812

Fax: 68296892*6812

Email: [Empty]

! HS/COMM: Heterocyclic compounds wi...

HS Code: 293339

! Short Desc: PHICIDE SODIUM

Shipper Desc: PhiCide Sodium (Sodium P...

! Marks Numbers: N/M

! Quantity: 10

! Package Type: Package(s)

! Weight(kg): 8,420.000

! Measurement(m³): 12.600

OG Info: [Empty]

Chemical Info: UN3082

10 | 8,420.000 | 12.600

Last SHP DESC

Item(s) Saved | CHN\lawang | 8.0.0.15 | 08.00.00.05 | MagicHand80 | CNSHA-S-SQL02

危险品订舱必需提供危险品装箱仓库的信息

危险品真实收货人信息



The screenshot shows the MSC Magic Hand software interface. The main window displays 'DG Cargo Consignee: ABC COMPANY' with the following details:

- ! Company Type: DG Cargo Consignee
- Reference Number:
- ! Name: ABC COMPANY
- Address: 7085 LAS POSITAS RD. STE A LIVERMORE, CA 94551
- City: Detroit, MI
- ZIP Code: 94551
- Contact: WANG YUAN
- Phone: 925-373-3128
- Fax: 925-373-3138
- Email:
- VIP Code:
- Intra Code:
- MSC Code:
- Company Code:
- Other Info:
- Use BL:
- BL Company:
- BL Address:
- BL Contact:

On the left side, there is a 'Quick Open' table:

BookingNumber	Access Date
177QTESTS00001	
177QTESTS00001	Aug 12, 2014 10:59

危险品收货人不接受“TO ORDER”,必须为具体的公司。(不接受银行作为危险品收货人。)

危险品货物相关信息



The screenshot displays the MSC Magic Hand 8.00 software interface. The main window shows a shipment record for '177QTESTS00001'. The 'Chemical Info' section is highlighted with a red box, containing the following details:

Field	Value
UN3082	UN3082
PSN Code	UN3082
Tech. Chem. Name	PHICIDE SODIUM (SODIUM PYR...
! Mar Pollutant	No
IMO Sort	Normal
SEG Group	
CAA	
Flash Point	12
EMER TEMP	
Control TEMP	
! Reportable QTY	<input checked="" type="checkbox"/>
! DC Package	Conventional
! DC Packing	plastics drum(s), non-removable...
! DC Weight	8,000.000
! Outer QTY	10.000
Inner Package	
! Inner QTY	0
! EMER Provider	SHANGHAI ABC MATERIAL CO., ...
! Contact Name	MR HUANG
! EMER Phone	15216644444
IMDG Test From	
IMDG Test To	

需输入危险品相关信息

此处为危险品订舱必须准确填写的相关内容

如何输入危险品货物相关信息 - 1



The screenshot shows the MSC Magic Hand software interface for a shipping booking. The main window displays a booking form for '177QTESTS00001'. The form is divided into several sections: '个性化内容' (Personalized Content), 'Shipment' details, 'Company' details, and a 'Chemical Info' section. The 'Chemical Info' section is highlighted with a red box and contains a search table for UN numbers and PSN codes. The table has columns for 'UN Num...', 'PSN Code', 'Tech. Ch...', 'PS Name', 'CAS Nu...', 'CAS Name', 'Physical ...', 'MP', and 'MPic'. The first row of the table is highlighted in blue.

Callouts indicate the following steps:

- Step 1:** 按此处 (Click here) - points to the 'PSN Code' input field.
- Step 2:** 按此处 (Click here) - points to the 'Search' button.
- Step 3:** 输入“2588”然后选择“查询” (Enter "2588" then select "Search") - points to the 'UN Number' field.
- Step 4:** 按“查询”后系统会自动显示与之相关的选项，请选择。 (After clicking "Search", the system will automatically display related options, please select.) - points to the search results table.

UN Num...	PSN Code	Tech. Ch...	PS Name	CAS Nu...	CAS Name	Physical ...	MP	MPic
UN2588	UN2588	*	PESTICID...			-	*	
UN2588	UN2588*1	*	PESTICID...			-	*	
UN2588	UN2588*2	*	PESTICID...			-	*	
UN2588	UN2588*3	*	PESTICID...			-	*	

如何输入危险品货物相关信息 - 2



Emer.Provider, Contact Phone, Emer.Phone: 此处请输入起运港的紧急联系人公司名字, 联系人, 电话。请提供具有专业危险品业务知识, 并具备良好英语沟通能力人员的手机, 非座机, 且保证24小时开机以便货物在运输途中产生问题时及时可以联系到。

完成上一页第四步选择后系统里的PSN Code会自动显示。如:UN2588*2

Outer QTY:
输入危险货物件数

Inner QTY:
如有内包装, 输入内包装件数和类型

Step 5
请根据危险品申请表格和危包证选择相关信息。

如何新建 “IMO SORT” - 1



177QTESTS00001* - MSC Magic Hand 8.00_For MSC

Home

New Save Lock Booking/BL Info Center Log EDI Default Codes Setting Help About

Individuation

Favorite

Office MSC Shanghai, China

Port

Agency SH XSFB

Vessel

Voyage

Quick Open

BookingNumber	Access Date
177QTESTS00001	Aug 12, 2014 10:59

Company

177QTESTS00001*

! Office MSC Shanghai, China

! Agency MSC SH

! Service Jaguar

! Booking 177QTESTS00001

! Mst Booking

! REF Number

! Status Confirmed

! Part Load Type

! Part Load Bkg

! POR

! POR SUBLOC

! POR TM

! POL SHANGHAI

! Vessel MSC RANIA

! Voyage FJ433A

! POD LONG BEACH

! Port Clause

! Final Dest Detroit, MI

! ZIP Code 48201

! FNL SubLoc Ramp

! FNL TM Rail

! Terms CY to CY

! SCT Service Contract Number 14-250TPC-225/MOV-N...

! Payment Type Prepaid

! Pay at

! BLREF Number

! SI Information

! InTrans Coun

! Comment

! CheckLocalDC

! Creation Aug 12,2014 10:59:27

Quant...	Weight	Volume	! S...	! ...	REF
10	8,420.000	12.600			

1 - PHICIDE SODIUM

! HS/COMM: Heterocyclic compounds wi...

! HS Code: 293339

! Short Desc: PHICIDE SODIUM

! Shipper Desc: PhicIde Sodium (Sodium P...

! Marks Numbers: N/M

! Quantity: 10

! Package Type: Package(s)

! Weight(kg): 8,420.000

! Measurement(m³): 12.600

! OG Info:

! Chemical Info: UN2588*2

! PSN Code UN2588*2

! Tech. Chem. Name PHICIDE SODIUM (SODIUM PYR...

! IMO Sort

! SEC Group

! CAA

! Flash Point

! EMER TEMP

! Control TEMP

! Reportable QTY

! DC Package

! DC Packing

! DC Weight

! Outer QTY

! Inner Package

! Inner QTY

! EMER Provider SHANGHAI ABC MATERIAL CO., ...

! Contact Name MR HUANG

! EMER Phone 15216644444

! IMDG Test From

! IMDG Test To

10 8,420.000

Last SHP DESC

Item(s) Saved

CHN\lawang 8.0.0.15 08.00.00.05 MagicHand80 CNSHA-S-SQL02

4:35 PM 8/12/2014

© Copyright MSC Mediterranean Shipping Company S.A.

如何输入“IMO SORT” - 2



The screenshot shows the MSC Magic Hand 8.00 software interface. On the left, there is an 'Individuation' panel with fields for Office, Agency, Booking, and Vessel. The main window displays a shipment summary for '177QTESTS00001' with details like Office (MSC Shanghai, China), Agency (MSC SH), and Booking (177QTESTS00001). The 'Company' section lists 'Shipment' and 'Company' details. The 'Table' section shows a table with columns: Quant..., Weight, Volume, ! S..., ! S..., REF Number, Other Info, Comment, and DC. The table contains one row with values: 10, 8,420.000, 12.600, ! S..., ! S..., 177QTESTS00001, Other Info, Comment, and DC. The 'Table' section is expanded to show '1 - PHICIDE SODIUM' with details like HS Code (293339), Short Desc (PHICIDE SODIUM), and Quantity (10). The 'IMO Sort' dropdown menu is open, showing options like 'Normal' (highlighted with a red box), 'Flash Point', 'EMER TEMP', 'Control TEMP', 'Reportable QTY', 'DC Package', 'DC Packing', 'DC Weight', 'Outer QTY', 'Inner Package', 'Inner QTY', 'EMER Provider', 'Contact Name', 'EMER Phone', 'IMDG Test From', and 'IMDG Test To'. A callout bubble points to the 'Normal' option with the text 'Step 3: 按此处, 然后选择Normal'.

如何选择包装类别和危险品货物包装 - 1



177QTESTS00001* - MSC Magic Hand 8.00_For MSC

Home

New Save Lock Booking/BL Info Center Log EDI Categor Codes Setting Help About

Individuation

Favorite

Office: MSC Shanghai, China

Port: SH XSFB

Agency: SH XSFB

Vessel:

Voyage:

Quick Open

BookingNumber	Access Date
177QTESTS00001	Aug 12, 2014 02:59

Shipment

! Office: MSC Shanghai, China

! Agency: MSC SH

! Service: Jaguar

! Booking: 177QTESTS00001

Mst Booking

REF Number

! Status: Confirmed

Part Load Type

Part Load Bkg

POR

POR SUBLOC

POR TM

! POL: SHANGHAI

Vessel: MSC RANIA

! Voyage: FJ433A

! POD: LONG BEACH

Port Clause

Final Dest: Detroit, MI

ZIP Code: 48201

FIL SubLoc: Ramp

FIL TM: Rail

Terms: CY to CY

SCT: Service Contract Number

SCT Number: 14-250TPC-225/MOV-N...

Payment Type: Prepaid

Pay at

BLREF Number

SI Information

InTrans Coun

Comment

CheckLocalDC:

Creation: Aug 12, 2014 10:59:27

! S...	! Type	箱号	Seal Num...	Quant...	Weight	Volume	! S...	! ...	REF Number	Other
1	20DV			10	8,420.000	12.600				

! 1 - PHICIDE SODIUM

! HS/COMM: Heterocyclic compounds wi...

HS Code: 293339

! Short Desc: PHICIDE SODIUM

Shipper Desc: PhiCide Sodium (Sodium P...

! Marks Numbers: N/M

! Quantity: 10

! Package Type: Package(s)

! Weight(kg): 8,420.000

! Measurement(m³): 12.600

OG Info:

Chemical Info: UN2588*2

PSN Code	UN2588*2
Tech. Chem. Name	PHICIDE SODIUM (SODIUM PYR...
! Mar Pollutant	Pollutant
IMO Sort	Normal
SEG Group	
CAA	
Flash Point	12
EMER TEMP	
Control TEMP	
! Reportable QTY	<input checked="" type="checkbox"/>
! DC Package	
! DC Packing	Conventional
! DC Weight	IBC
! Outer QTY	Large
Inner Package	Tank
! Inner QTY	0
! EMER Provider	SHANGHAI ABC
! Contact Name	MR HUANG
! EMER Phone	1365444444
IMDG Test From	
IMDG Test To	

1

Last SHP DESC

Ready

CHN\lawang | 8.0.0.16 | 08.00.00.05 | MagicHand80 | CNSHA-S-SQL02

Conventional: 涵盖所有小型包装。
IBC: 所有中型散装容器。
Large: 大型包装。
Tank: Tank箱

如何选择包装类别和危险品货物包装 -2



按此处，然后根据危包证选择正确的选项。
如fibreboard box(es) - 4G

危包证、检验证书样本



中华人民共和国出入境检验检疫
出境危险货物运输包装使用鉴定结果单

编号 320100314003905

申请人: []
使用人: []

包装容器名称及规格: 200L 闭口塑料桶
包装容器标记及批号: 1H1A 4/100/14
ii 320114

货物包装类别: III
包装容器性能检验结果单号: 320100314003767
运输方式: 海运

危险货物名称 (中文): 芳基磺酸
危险货物类别: 8
危险货物名称 (英文): -----
联合国编号: 2586

危险货物状态: 液态
危险货物密度: 1.06

报检件数: 2500
单件容积: ***
单件毛重: 234.4 千克

危险货物灌装日期: 2014 年 6 月 18 日
单件净重: 225 千克

检验依据: SN/T 0370.3-2012

鉴定结果: 上述危险货物所使用的包装容器, 经抽样鉴定, 其适用性及使用方法符合 SN/T 0370.3-2012 的要求。(该危险货物已经定级分类)

签字: [张承] 日期: 2014 年 6 月 25 日

分批出境核销栏	日期	出境数量	结余数量	核销人	日期	出境数量	结余数量	核销人

说明: 1. 外贸经营单位必须持本结果正本向有关运输部门办理危险货物出境托运手续。2. 当合同或信用证要求包装检验证书时, 可凭本结果单向出境所在地检验检疫机关申请签发检验证书或根据需要办理分证。

[3.3/2000.1.1]

请根据危包证上的信息选择正确的包装类别。
相关信息会显示在危包证上的“包装容器标记及批号”下。
如“1H1”

请根据危包证上的信息选择正确的包装类别。
相关信息会显示在船级社证书的产品明细里。
如“31HA1”

中国船级社
CHINA CLASSIFICATION SOCIETY
检验证书
INSPECTION CERTIFICATE

证书编号/Form: PPC101

被证明应验舱容器(上海)有限公司的申请, 下列产品经本社著名验船师检验及试验, 符合本证书注明标准的要求。

This is to certify that, upon request of Schuetz Container Systems(Shanghai) Co., Ltd. the following products have been inspected and tested by the undersigned surveyor to the Society and are found to comply with the requirements of the specified standards.

产品名称: 中置散货容器
制造厂名: 智德容器(上海)有限公司
Product: Intermediate bulk containers(IBCs)
Manufacturer: Schuetz Container Systems(Shanghai) Co., Ltd.
订货方: 重庆川东化工(集团)有限公司
型式认可证书号: SH1083068
Purchaser: 重庆川东化工(集团)有限公司
Cert. No. of Type Approval: SH1083068
用于: 包装类 II/用
产品编号: 1109788-1109987
Intended for: Packing group II/用
Serial No.: 1109788-1109987

型号/Model	IBCs 代码/IBCs code	制造日期/Date of manufacture	容器制造日期/Manufacturing date of container	外形尺寸/Overall dimension	自重/Tare Weight	容器材料/Container material	允许堆码重量/Allowable Max. weight	允许堆码重量/Allowable stacking weight	数量/Quantity
M100	31HA1/7/12 SCHUTZ12	2013 年 12 月	2013 年 12 月	1200 x 1000 x 1160 mm	57 kg	高密度聚乙烯(内容器)钢(框架) 高密度聚乙烯(球网) 三元乙丙胶板	2012 kg	2294 kg	200 pcs

产品检验及试验标准/Product Inspection and Test Standards
国际海运危险货物规则 第 6.5 章中置散货容器的构造与试验规定
Provisions for the construction and testing of intermediate bulk containers (Chapter 6.5) of the IMDG CODE

检验项目及结果/Scope of inspection and the result
标记/Mark: 完好/Satisfactory
容器内部和外部状况/Anterior and exterior status: 完好/Satisfactory
附件/Accessories: 完好/Satisfactory
渗透试验/Penetration Test (20kPa): 合格/Satisfactory

备注: 1) 中置散货容器的使用应符合国际海运危险货物规则第 4.1 章的有关要求
2) 中置散货容器应在每次不超过两年半的时间内按国际海运危险货物规则第 6.5 章的有关要求进行定期检验和试验。

产品检验标志/Marking
位置/Position: 每件产品 经线上/On the nameplate of every piece of the product
标志样式/Type of Marking: CCS 防伪标志/CCS anti-forgery label

发证日期: 2013 年 12 月 25 日
Date of issue: Dec 25, 2013

验船师: [王颖] (Wang Yingting)
Surveyor

第 1 页, 共 1 页 / Page 1 of 1

常用危险品货物包装CODE选择 -1



MergedPackageType	PackageTypeCode
Expanded plastics boxes-4H1	4H1
Fibre drums-1G	1G
Fibreboard boxes-4G	4G
Flask(s)	FL
Flexible bulk container-BK3	BK3
Flexible plastics large packaging-51H	51H
gasbottle(s)	GB
Glass receptacle with outer aluminium crate ...	6PB2

1G

1H2

MergedPackageType	PackageTypeCode
Fibre drums-1G	1G
Fibreboard boxes-4G	4G
Flask(s)	FL
Flexible bulk container-BK3	BK3
Flexible plastics large packaging-51H	51H
gasbottle(s)	GB
Glass receptacle with outer aluminium crate ...	6PB2
Glass receptacle with outer aluminium drum-...	6PB1

4G

3H1 & 3H2

MergedPackageType	PackageTypeCode
Plastics drums, non-removable head-1H1	1H1
Plastics drums, removable head-1H2	1H2
Plastics film bags-5H4	5H4
Plastics jerricans, non-removable head-3H1	3H1
Plastics jerricans, removable head-3H2	3H2
Plastics receptacle with outer aluminium crat...	6HB2
Plastics receptacle with outer aluminium dru...	6HB1
Plastics receptacle with outer fibre drum-6HG1	6HG1

MergedPackageType	PackageTypeCode
Plastics jerricans, non-removable head-3H1	3H1
Plastics jerricans, removable head-3H2	3H2

MergedPackageType	PackageTypeCode
Pallet(s)	PAL
Paper bags, multiwall, water-resistant-5M2	5M2
Paper bags, multiwall-5M1	5M1
plastics drum(s) with plastics receptacle(s)	6HH1L
Plastics drums, non-removable head-1H1	1H1
Plastics drums, removable head-1H2	1H2
Plastics film bags-5H4	5H4
Plastics jerricans, non-removable head-3H1	3H1

5M2

1A1

MergedPackageType	PackageTypeCode
Steel boxes-4A	4A
Steel drums, non-removable head-1A1	1A1
Steel drums, removable head-1A2	1A2
steel gas cylinders/gas receptacles	GASCYLS
Steel jerricans, non-removable head-3A1	3A1
Steel jerricans, removable head-3A2	3A2
Tank, cylindrical	TY
Textile bags, sift-proof-5L2	5L2

MergedPackageType	PackageTypeCode
plastics drum(s) with plastics receptacle(s)	6HH1L
Plastics drums, non-removable head-1H1	1H1
Plastics drums, removable head-1H2	1H2
Plastics film bags-5H4	5H4
Plastics jerricans, non-removable head-3H1	3H1
Plastics jerricans, removable head-3H2	3H2
Plastics receptacle with outer aluminium crat...	6HB2
Plastics receptacle with outer aluminium dru...	6HB1

1H1

1A2

MergedPackageType	PackageTypeCode
Steel drums, non-removable head-1A1	1A1
Steel drums, removable head-1A2	1A2
steel gas cylinders/gas receptacles	GASCYLS
Steel jerricans, non-removable head-3A1	3A1
Steel jerricans, removable head-3A2	3A2
Tank, cylindrical	TY
Textile bags, sift-proof-5L2	5L2
Textile bags, water-resistant-5L3	5L3

© Copyright MSC Mediterranean Shipping Company S.A.

常用危险品货物包装CODE选择 -2



MergedPackageType	PackageTypeCode
Woven plastics bags, sift-proof-5H2	5H2
Woven plastics bags, water-resistant-5H3	5H3
Woven plastics bags, without inner liner or c...	5H1
ZZ_(DO_NOT_USE) fibreboard box(es) - 4G	4G_S
ZZ_(DO_NOT_USE) steel drum(s), non-remo...	1A1_S
ZZ_(DO_NOT_USE) steel drum(s), removable...	1A2_S
*aluminium box(es)	4B1
*aluminium box(es)	4B5

5H3

5H4

MergedPackageType	PackageTypeCode
Plastics drums, removable head-1H2	1H2
Plastics film bags-5H4	5H4
Plastics jerricans, non-removable head-3H1	3H1
Plastics jerricans, removable head-3H2	3H2
Plastics receptacle with outer aluminium crate or box-6HB2	6HB2
Plastics receptacle with outer aluminium drum-6HB1	6HB1
Plastics receptacle with outer fibre drum-6HG1	6HG1
Plastics receptacle with outer fibreboard box-6HG2	6HG2

MergedPackageType	PackageTypeCode
Plastics receptacle with outer steel crate or b...	6HA2
Plastics receptacle with outer steel drum-6HA1	6HA1
Plastics receptacle with outer wooden box-6HC	6HC
Plywood boxes-4D	4D
Plywood drums-1D	1D
Pressure drum(s)	PD
Reconstituted wood boxes-4F	4F
Sheeted bulk container-BK1	BK1

6HA1

11D

MergedPackageType	PackageTypeCode
Plywood IBC with rigid plastics receptacle-31...	31HD1
Plywood IBC-11D	11D
Reconstituted wood IBC with flexible plastics ...	11HF2
Reconstituted wood IBC with flexible plastics ...	21HF2
Reconstituted wood IBC with flexible plastics ...	31HF2
Reconstituted wood IBC with rigid plastics re...	11HF1
Reconstituted wood IBC with rigid plastics re...	21HF1
Reconstituted wood IBC with rigid plastics re...	31HF1

MergedPackageType	PackageTypeCode
Case	CS
crate(s)	MDS30
cylinder(s)	MDS31
dispenser(s)	MDS32
Dose(s)	DOSE
drum(s)	MDS33
Engine(s)	MDS27
Expanded plastics boxes-4H1	4H1

CYLINDER

TANK

! Reportable QTY	<input type="checkbox"/>
! DC Package	Tank
! DC Packing	unpacked
! DC Weight	MergedPackageType PackageTypeCode
! Outer QTY	MEGC(s) MEGC
Inner Package	Residual cargo MDS78
! Inner QTY	unpacked MDS26
! EMER Provider	*Bulk BULK
! Contact Name	XUEJINGBIN

MergedPackageType	PackageTypeCode
Steel IBC with rigid plastics receptacle, pressure ...	21HA1
Steel IBC with rigid plastics receptacle-31HA1	31HA1
Textile IBC with liner-13L3	13L3
Textile IBC without coating or liner-13L1	13L1
Textile IBC, coated and with liner-13L4	13L4
Textile IBC, coated-13L2	13L2
Wood IBC-11C	11C
Woven plastics IBC with liner-13H3	13H3

31HA1

© Copyright MSC Mediterranean Shipping Company S.A.

m
sc